MATERIAL SAFETY DATA SHEET



oduct and C Idontificati **D**...

1. Product and Company le	dentification
Material name	Stay-Silv® White Brazing Flux
Version #	03
Issue date	09-June-2011
Revision date	10-Sept-2014
Supersedes date	23-July-2014
CAS #	Mixture
MSDS Number	0134
Product use	Metal brazing operations.
Manufacturer information	
Manufacturer/Supplier Telephone number	Harris Products Group 4501 Quality Place Mason, Ohio 45040 US custservmason@jwharris.com 513-754-2000
Emergency Telephone Numbers	1-888-609-1762 (US, Canada, Mexico only)
	Please quote 333988
2. Hazards Identification	
Physical state	Solid.
Appearance	White paste.
Emergency overview	CAUTION
	May cause eye burns. Prolonged or repeated contact with the product may irritate the skin. Causes digestive tract burns. Dust is irritating to the eyes and respiratory tract. Harmful if inhaled, absorbed through skin, or swallowed. Possible adverse reproductive and developmental effects.
OSHA regulatory status	This product is considered hazardous under 29 CFR 1910.1200 (Hazard Communication).
Potential health effects	
Routes of exposure	Inhalation. Ingestion. Skin contact. Eye contact.
Eyes	May cause eye burns. Risk of serious damage to eyes.
Skin	Prolonged or repeated contact with the product may irritate the skin. Harmful if absorbed through the skin. Hydrogen fluoride, a possible decomposition product, is extremely corrosive and a poison by all routes of entry. Hydrogen fluoride can penetrate the skin and produce burns, which may not be immediately painful or visible; the burns impact the lower layers of skin and bone tissue. Hydrogen fluoride exposures involving 20 percent of the body or more can be fatal through systemic fluoride poisoning.
Inhalation	Harmful by inhalation. Dust irritating to respiratory tract. Prolonged inhalation may be harmful.
Ingestion	Harmful if swallowed. Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus and possibly the digestive tract.
Target organs	Skin. Bone. Kidneys.
Chronic effects	Can cause adverse reproductive effects - such as birth defects, miscarriages, or infertility. Sterility. Prolonged overexposure to fluorides may increase fluoride content of bones and teeth, and may result in fluorosis, and brittleness of bones. Prolonged or repeated contact may dry skin and cause dermatitis. Edema. Kidney injury may occur. Refer to Section 11 Toxicological Information for more details.
Signs and symptoms	Contact with this material may cause burns to the eyes. Symptoms include itching, burning, redness, and tearing of eyes. Prolonged or repeated contact with the product may cause irritation of skin. Itching, redness, burning of skin. Edema. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.
Potential environmental effects	The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms.

3. Composition / Information on Ingredients

-	CAS #	Percent
rate	85392-66-1	> 50
	7789-23-3	20 - 30
All concentrations are in percent by weight u percent by volume.	inless ingredient is a gas. Ga	s concentrations are in
-	All concentrations are in percent by weight u	rate 85392-66-1 7789-23-3 All concentrations are in percent by weight unless ingredient is a gas. Ga

Eye contact	Immediately rinse eyes with water. Remove any contact lenses, and continue flushing eyes with running water for at least 15 minutes. Hold eyelids apart to ensure rinsing of the entire surface of the eye and lids with water. Get immediate medical attention.
Skin contact	Remove contaminated clothes and rinse skin thoroughly with water for at least 15 minutes. A 2.5 pct calcium gluconate gel applied topically after skin has been thoroughly washed will help reduce severity of symptoms. Get medical attention if irritation develops and persists.
Inhalation	Remove person from contaminated area to fresh air. Apply artificial respiration if needed. Call a physician if symptoms develop or persist.
Ingestion	Do NOT induce vomiting. Immediately rinse mouth and drink a cupful of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.
General advice	Show this safety data sheet to the doctor in attendance.

5. Fire Fighting Measures

5. The Fighting measures	
Flammable properties	The product is not flammable.
Extinguishing media Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials. Water spray, foam, dry powder or carbon dioxide.
Protection of firefighters Protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
6. Accidental Release Mea	sures
Personal precautions	Keep unnecessary personnel away. Avoid inhalation of dust from the spilled material. Wear protective clothing as described in Section 8 of this MSDS. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not contaminate water.
Methods for containment	Stop leak if you can do so without risk. Prevent entry into waterways, sewer, basements or confined areas. Local authorities should be advised if significant spillages cannot be contained.
Methods for cleaning up	Should not be released into the environment. Prevent product from entering drains. Do not allow material to contaminate ground water system.
	Large Spills: Sweep up and place into a proper container for disposal. Avoid the generation of dusts during clean-up.
	Small Spills: Wipe up spilled material and place in a suitable container for disposal.
	Never return spills in original containers for re-use. Following product recovery, flush area with water. Clean surface thoroughly to remove residual contamination. This material and its container

water. Clean surface thoroughly to remove residual contamination. This material and its container
must be disposed of as hazardous waste. For waste disposal, see Section 13 of the MSDS.Other informationClean up in accordance with all applicable regulations.

7. Handling and Storage

	0	5	
Handling			Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Avoid inhalation of dust and fumes. Avoid contact with skin and eyes. Wear appropriate personal protective equipment (See Section 8). Do not get this material on clothing. Do not eat, drink or smoke when using the product. Wash thoroughly after handling. Avoid release to the environment.
Storage			Store in tightly closed original container in a dry, cool and well-ventilated place. Store in a closed container away from incompatible materials. Do not store in container made of glass or silicate-based material. Keep away from food, drink and animal feedingstuffs. Keep out of the reach of children.

8. Exposure Controls / Personal Protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Fluorides (CAS 16984-48-8)	TWA	2.5 mg/m3	

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components		Туре		Value	
Fluorides (CAS 1698	,	PEL		2.5 mg/m3	
US. OSHA Table Z-2	2 (29 CFR 1910.100	0)			
Components		Туре		Value	Form
Fluorides (CAS 1698	84-48-8)	TWA		2.5 mg/m3	Dust.
Canada. Alberta OE	Ls (Occupational	Health & Safety Coo	de, Schedule 1, Table	2)	
Components		Туре		Value	
Fluorides (CAS 1698	34-48-8)	TWA		2.5 mg/m3	
Canada. British Col Safety Regulation 2			Limits for Chemical	Substances, C	occupational Health and
Components		Туре		Value	Form
Fluorides (CAS 1698	84-48-8)	TWA		2.5 mg/m3	
Canada. Manitoba (DELs (Reg. 217/200	6, The Workplace	Safety And Health Act)	
Components		Туре		Value	Form
Fluorides (CAS 1698	34-48-8)	TWA		2.5 mg/m3	
Canada. Ontario OE	ELs. (Control of Ex	oosure to Biologica	I or Chemical Agents)	
		_		Value	Form
Components		Туре		Value	1 Olili
Components Fluorides (CAS 1698	34-48-8)	Type TWA		2.5 mg/m3	
Fluorides (CAS 1698		TWA		2.5 mg/m3	
Fluorides (CAS 1698		TWA	especting the Quality	2.5 mg/m3	
Fluorides (CAS 1698 Canada. Quebec Of	ELs. (Ministry of La	TWA bor - Regulation Re	especting the Quality	2.5 mg/m3 of the Work E	
Fluorides (CAS 1698 Canada. Quebec Of Components Fluorides (CAS 1698	ELs. (Ministry of La 4-48-8)	TWA bor - Regulation Re Type TWA	especting the Quality	2.5 mg/m3 of the Work E Value	
Fluorides (CAS 1698 Canada. Quebec Of Components Fluorides (CAS 1698 Mexico. Occupation	ELs. (Ministry of La 4-48-8)	TWA bor - Regulation Re Type TWA	especting the Quality	2.5 mg/m3 of the Work E Value	
Fluorides (CAS 1698 Canada. Quebec Of Components Fluorides (CAS 1698 Mexico. Occupation Components	ELs. (Ministry of La 4-48-8) nal Exposure Limit	TWA bor - Regulation Re Type TWA Values	especting the Quality	2.5 mg/m3 of the Work E Value 2.5 mg/m3	
Fluorides (CAS 1698 Canada. Quebec Of Components	ELs. (Ministry of La 4-48-8) nal Exposure Limit	TWA bor - Regulation Re Type TWA Values Type	especting the Quality	2.5 mg/m3 of the Work E Value 2.5 mg/m3 Value	
Fluorides (CAS 1698 Canada. Quebec Of Components Fluorides (CAS 1698 Mexico. Occupation Components Fluorides (CAS 1698	ELs. (Ministry of La 4-48-8) hal Exposure Limit 4-48-8)	TWA bor - Regulation Re Type TWA Values Type	especting the Quality	2.5 mg/m3 of the Work E Value 2.5 mg/m3 Value	
Fluorides (CAS 1698 Canada. Quebec Of Components Fluorides (CAS 1698 Mexico. Occupation Components Fluorides (CAS 1698 ogical limit values ACGIH Biological E	ELs. (Ministry of La 4-48-8) hal Exposure Limit 4-48-8)	TWA bor - Regulation Re Type TWA Values Type	especting the Quality	2.5 mg/m3 of the Work E Value 2.5 mg/m3 Value	nvironment)
Fluorides (CAS 1698 Canada. Quebec Of Components Fluorides (CAS 1698 Mexico. Occupation Components Fluorides (CAS 1698 ogical limit values	ELs. (Ministry of La 4-48-8) hal Exposure Limit 4-48-8) xposure Indices Value	TWA bor - Regulation Re Type TWA Values Type TWA	especting the Quality inant Specimen	2.5 mg/m3 of the Work E Value 2.5 mg/m3 Value 2.5 mg/m3	nvironment)

Stay-Silv® White Brazing Flux 902265 Version #: 03 Revision date: 10-Sept-2014 Issue date: 09-June-2011

Engineering controls	Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of dust. Shower, hand and eye washing facilities near the workplace are recommended.
Personal protective equipment	Wear safety glasses with side shields (or goggles).
Eye / face protection	wear salety glasses with side shields (or goggles).
Skin protection	Chemical resistant clothing is recommended.
Respiratory protection	Use a respirator when local exhaust or ventilation is not adequate to keep exposures below the TLV. In a confined space a supplied respirator may be required. Selection and use of respiratory protective equipment should be in accordance with OSHA General Industry Standard 29 CFR 1910.134; or in Canada with CSA Standard Z94.4.
Hand protection	Wear protective gloves (i.e. latex, nitrile, neoprene).
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical & Chemical Properties

Appearance	White paste.
Physical state	Solid.
Form	Paste.
Color	White.
Odor	Odorless.
Odor threshold	Not available.
рН	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Boiling point	Not available.
Melting point/Freezing point	Not available.
Solubility (water)	Moderate.
Specific gravity	1.5 - 1.7
Flash point	Not available.
Flammability limits in air, upper, % by volume	Not available.
Flammability limits in air, lower, % by volume	Not available.
Auto-ignition temperature	Not available.

10. Chemical Stability & Reactivity Information

Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Strong acids. Halogenated compounds. Silicate-based materials.
Hazardous decomposition products	Hydrogen fluoride, fluorine-, boron- and potassium-containing compounds.

11. Toxicological Information

Toxicological data Components	Species	Test Results	
	•	Test Results	
Potassium difluorodihydroxybora Acute	ie (CAS 85392-66-1)		
Dermal			
LD50	Rabbit	> 2000 mg/kg	
Oral			
LD50	Rat	744 mg/kg	
Potassium fluoride (CAS 7789-23			
Acute	5 0)		
Oral			
LD50	Rat	245 mg/kg	
Sensitization	Not classified.		
Acute effects		ed or repeated contact with the product may irritate skin. stem, and may cause coughing and difficulties in breathing. rough skin, or swallowed.	
Local effects	May cause eye burns. Causes product may irritate skin.	respiratory tract irritation. Prolonged or repeated contact with the	
Chronic effects	Prolonged exposure may cause chronic effects. May cause damage to the kidneys. Repeated exposure to fluorides may cause excessive calcification of the bone and calcification of ligaments of the ribs, pelvis and spinal column. Exposure to extremely high levels of fluorides can cause abdominal pain, diarrhea, muscular weakness, and convulsions. In extreme cases it can cause loss of consciousness and death.		
Subchronic effects	Kidney injury may occur.		
Carcinogenicity	This product is not considered t	to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
ACGIH Carcinogens			
Potassium difluorodihyd Potassium fluoride (CAS	roxyborate (CAS 85392-66-1) S 7789-23-3)	A4 Not classifiable as a human carcinogen. A4 Not classifiable as a human carcinogen.	
IARC Monographs. Overal	I Evaluation of Carcinogenicity		
Potassium fluoride (CAS	\$ 7789-23-3)	3 Not classifiable as to carcinogenicity to humans.	
OSHA Specifically Regulat Not listed.	ed Substances (29 CFR 1910.100	01-1050)	
Epidemiology	No epidemiological data is avai	lable for this product.	
Mutagenicity		oduct or any components present at greater than 0.1% are	
Reproductive effects	Possible reproductive hazard.		
Teratogenicity	May cause birth defects. Avoid	exposure to women during early pregnancy.	
Symptoms and target organs	Contact with this material may cause burns to the skin, eyes and mucous membranes. Sympt include itching, burning, redness, and tearing of eyes. Itching, redness, burning of skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Ta organs: Skin. Bones. Kidney.		
Further information	Symptoms may be delayed.		
12. Ecological Informatio	n		
Ecotoxicological data			
Components	Species	Test Results	

Components		Species	Test Results	
Potassium difluorodihydi	roxyborate			
Aquatic				
Fish	LC50	Brachydinio rerio	750 mg/l, 96 hours	

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Large amounts of the product may affect the acidity (pH-factor) in water with possible risk of harmful effects to aquatic organisms.	
Environmental effects	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.	
Aquatic toxicity	Not classified.	
Persistence and degradability	No data is available on the degradability of this product.	
Bioaccumulation / accumulation	Not available.	
Mobility in environmental media	The product is partly soluble in water. May spread in the aquatic environment.	

13. Disposal Considerations

Waste codes	
Disposal instructions	Do not allow this material to drain into sewers/water supplies. Dispose in accordance with all applicable regulations.
Waste from residues / unused products	Dispose of in accordance with local regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport Information

DOT	Product not regulated as Dangerous Good.
ΙΑΤΑ	Product not regulated as Dangerous Good.
IMDG	Product not regulated as Dangerous Good.
TDG	Product not regulated as Dangerous Good.

15. Regulatory Information

13. Regulatory information	
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
	All components are on the U.S. EPA TSCA Inventory List.
	CERCLA/SARA Hazardous Substances - Not applicable.
TSCA Section 12(b) Export	Notification (40 CFR 707, Subpt. D)
Not regulated.	
Clean Air Act (CAA) Section	n 112 Hazardous Air Pollutants (HAPs) List
Not regulated.	
CERCLA (Superfund) reportable	e quantity (lbs) (40 CFR 302.4)
None	
Superfund Amendments and Re	eauthorization Act of 1986 (SARA)
Hazard categories	Immediate Hazard - Yes
	Delayed Hazard - Yes
	Fire Hazard - No Pressure Hazard - No
	Reactivity Hazard - No
SARA 302 Extremely hazard	,
Not listed.	
SARA 311/312 Hazardous chemical	Yes
Drug Enforcement Administration (DEA) (21 CFR 1308.11-15)	Not controlled

Canadian regulations

WHMIS status WHMIS classification

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR. Controlled

WHMIS labeling

Inventory status



Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

D2B - TOXIC

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

State regulations

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

US - California Hazardous Substances (Director's): Listed substance

Potassium fluoride ((CAS 7789-23-3)
----------------------	-----------------

Listed.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance Not listed.

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Potassium fluoride (CAS 7789-23-3)

US. Pennsylvania Worker and Community Right-to-Know Law Potassium fluoride (CAS 7789-23-3)

Mexico regulations

This safety data sheet was prepared in accordance with the Official Mexican Standard (NOM-018-STPS-2000).

16. Other Information

Further information HMIS® ratings HMIS® is a registered trade and service mark of the NPCA. Health: 3* Flammability: 0 Physical hazard: 0



Disclaimer

NFPA ratings

The information in the sheet was written based on the best knowledge and experience currently available. Not available.

Prepared by